CLAIMS

We claim:

304/4035.0

5

- 1. A tissue collection device comprising an electrode.
- 2. A tissue collection device according to claim 1 wherein said electrode comprises a capture binding ligand.
- 3. A tissue collection device according to claim 1 wherein said capture binding ligand is a nucleic acid.
- 4. A tissue collection device according to claim 1 wherein said electrode comprises:
 - a) a self-assembled monolayer; and
 - b) a capture binding ligand.
- 5. A tissue collection device according to claim 4 wherein said capture binding ligand is a nucleic acid capture probe.
- 6. A tissue collection device according to claim 4 wherein said self-assembled monolayer comprises insulators.
- 7. A tissue collection device according to claim 4 wherein said self-assembled monolayer comprises an electroconduit-forming species (EFS).
- 8. A tissue collection device according to claim 57wherein said EFS is a conductive oligomer.
- 9. A tissue collection device according to claim 4 further comprising at least one reagent.
- 10. A tissue collection device according to claim 9 wherein said reagent is selected from the group consisting of anticoagulants, probe nucleic acids, and lysis reagent.
- 20 11. A tissue collection device according to claim 10 wherein said probe nucleic acid comprises an electron transfer moiety.
 - 12. A tissue collection device according to claim 11 wherein said electron transfer moiety is ferrocene.
 - 13. A tissue collection device according to claim 4 that is a blood collection device.
- 25 14. A tissue collection device according to claim 4 wherein said electrode is on a substrate comprising printed circuit board (PCB) material.

10



- 15. A method of detecting a target analyte is a sample comprising:
 - a) applying an initiation signal to a tissue collection device comprising an electrode comprising:
 - I) a self-assembled monolayer;
 - li) an assay complex comprising:
 - 1) a capture binding ligand;
 - 2) said target analyte; and
 - 3) an electron transfer moiety; and
 - b) detecting electron transfer between said electrode and said electron transfer moiety.
- 16. A method according to claim 15 wherein said sample is blood.
- 17. A method according to claim 15 wherein said self-assembled monolayer comprises insulators.
 - 18. A method according to claim 15 wherein said self-assembled monolayer comprises an EFS.
 - 19. A method according to claim 15 wherein said target analyte is nucleic acid.
 - 20. A method according to claim 15 wherein said capture binding ligand is a capture probe.
 - 21. A method according to claim 15 wherein said assay complex comprises a label probe comprising said electron transfer moiety.
 - 22. A method according to claim 15 wherein said electron transfer moiety is ferrocene.